



Styrene-free polyester mortar anchor, for use in non-cracked concrete and masonry

MO-PS

Assessed ETA Option 7 (non-cracked concrete).



PRODUCT INFORMATION

DESCRIPTION

Styrene-free polyester chemical anchor.



OFFICIAL DOCUMENTATION

- ETA 13/0751 option 7, M8 to M24 for non-cracked concrete.
- ETA 17/0096 for installation in masonry.
- Declaration features DoP MO-PS.
- Certificate EVCP 1020-CPR-090-041428 for use in concrete.
- Certificate EVCP 1020-CPR-090-037484 for use in masonry.

VALID FOR



Stud

DIMENSIONS

Stud M8 - M24

RANGE OF CALCULATION LOADS

From 9.5 to 66.6 kN [non-cracked].

BASE MATERIAL

Concrete quality C20/25 to C50/60 non-cracked.



Concrete



Hollow brick



Solid brick



Thermal clay

ASSESSMENTS

- ETA 13/0752 (ETAG 001-5) Option 7: non-cracked concrete.
- ETA 17/0096 (ETAG 029) Masonry.



OPTION 7



DRILL HOLE CONDITION



Dry

Wet

Flooded

CHARACTERISTICS AND BENEFITS

- Easy installation.
- Use in non-cracked concrete, hollow and solid plasterboard.
- Used for medium-high loads.
- Temperature range -40°C to +80°C [maximum long-term temperature +50°C].
- Two versions, standard and stone colour.
- Variety of lengths and diameters: M8-M24-assessed studs, flexible assembly.
- For static or quasi-static loads.
- Version in zinc plated steel, stainless steel A2 and A4.
- Styrene-free polyester resin for all types of materials
- Available in INDEXcal.



MATERIALS

Standard stud:

Carbon steel, zinc plated ≥ 5 µm.



Stainless standard stud:

Stainless steel A2-70 and A4-70.




APPLICATIONS

- For indoor and outdoor use.
- Fixing of building substructures.
- Rehabilitation of facades. For fixing air-conditioning supports, boilers, awnings, signs, balconies, shelving units, railings, etc.
- Large metric sizes, retaining walls.
- Structural applications.






CONCRETE INSTALLATION PARAMETERS								
	METRIC		M8	M10	M12	M16	M20	M24
d_0	nominal diameter	[mm]	10	12	14	18	22	26
d_f	diameter in anchor plate \leq	[mm]	9	12	14	18	22	26
T_{inst}	tightening torque \leq	[Nm]	10	20	40	80	150	200
Circular cleaning brush			Ø14		Ø20		Ø29	
$h_{ef,min} = 8d$								
h_1	depth of the drill hole	[mm]	64	80	96	128	160	192
$s_{cr,N}$	critical distance between anchors	[mm]	192	240	288	384	480	576
$c_{cr,N}$	critical distance from the edge	[mm]	96	120	144	192	240	288
c_{min}	minimum distance from the edge	[mm]	35	40	50	65	80	96
s_{min}	minimum distance between anchors	[mm]	35	40	50	65	80	96
h_{min}	minimum concrete thickness	[mm]	100	110	126	158	204	244
Standard stud								
h_1	depth of the drill hole	[mm]	80	90	110	128	170	210
$s_{cr,N}$	critical distance between anchors	[mm]	240	270	330	384	510	630
$c_{cr,N}$	critical distance from the edge	[mm]	120	135	165	192	255	315
c_{min}	minimum distance from the edge	[mm]	43	45	56	65	85	105
s_{min}	minimum distance between anchors	[mm]	43	45	56	65	85	105
h_{min}	minimum concrete thickness	[mm]	110	120	140	158	214	262
$h_{ef,max} = 12d$								
h_1	depth of the drill hole	[mm]	96	120	144	192	240	288
$s_{cr,N}$	critical distance between anchors	[mm]	288	360	432	576	720	864
$c_{cr,N}$	critical distance from the edge	[mm]	144	180	216	288	360	432
c_{min}	minimum distance from the edge	[mm]	50	60	70	95	120	145
s_{min}	minimum distance between anchors	[mm]	50	60	70	95	120	145
h_{min}	minimum concrete thickness	[mm]	126	150	174	222	284	340
Zinc-plated stud code			EQAC08110	EQAC10130	EQAC12160	EQAC16190	EQAC20260	EQAC24300
Stainless steel stud code A2 / A4			EQA208110 EQA408110	EQA210130 EQA410130	EQA212160 EQA412160	EQA216190 EQA416190	EQA220260 EQA420260	EQA224300 EQA424300





INSTALLATION ACCESSORIES			INSTALLATION PROCEDURE
CODE	PRODUCT	MATERIAL	CONCRETE
MOPISSI		Gun for 300 ml cartridges	
MOPISTO	APPLICATION GUNS	Guns for 410 ml cartridges, professional use	
MOPISNEU		Pneumatic gun for 410 ml coaxial cartridges, professional use	
EQ-AC EQ-A2 EQ-A4	STUD	Studs threaded steel, class 5.8 ISO 898-1 Studs stainless steel A2-70 Studs stainless steel A4-70	
MORCEPKIT	CLEANING BRUSHES	Kit with 3 cleaning brushes measuring ø14, ø20 and ø29 mm	
MOBOMBA	CLEANING PUMP	Pump for cleaning leftover dust and fragments in the drill hole	
MORCANU	MIXING TUBE	Plastic. Static labyrinth mixture	

MINIMUM CURING TIME			
TYPE	BASE MATERIAL TEMPERATURE [°C]	HANDLING TIME [min]	CURING TIME [min]
MO-PS / MO-PSP	min +5	18	145
	+5 to +10	10	145
	+10 to +20	6	85
	+20 to +25	5	50
	+25 to +30	4	40
	+30	4	35



Resistance in concrete C20/25 for an insulated anchor, without effects of distance from the edge or spacing between anchors, with a standard stud EQ-AC, EQ-A2 or EQ-A4.

Characteristic tensile strength N_{Rk}								
Metric			M8	M10	M12	M16	M20	M24
N_{Rk}	Non-cracked concrete	[kN]	17.1	22.6	37.3	57.9	85.5	118.8
Calculated tensile strength N_{Rd}								
Metric			M8	M10	M12	M16	M20	M24
N_{Rd}	Non-cracked concrete	[kN]	9.5	12.6	20.7	32.2	47.5	66.0
Maximum recommended tensile load N_{rec}								
Metric			M8	M10	M12	M16	M20	M24
N_{rec}	Non-cracked concrete	[kN]	6.8	9.0	14.8	23.0	33.9	47.1
Characteristic resistance to shear stress V_{Rk}								
Metric			M8	M10	M12	M16	M20	M24
V_{Rk}	Zinc-plated stud	[kN]	<u>9.0</u>	<u>15.0</u>	<u>21.0</u>	<u>39.0</u>	<u>61.0</u>	<u>88.0</u>
	Stainless steel stud (A2/A4)	[kN]	<u>13.0</u>	<u>20.0</u>	<u>30.0</u>	<u>55.0</u>	<u>86.0</u>	<u>124.0</u>
Calculated resistance to shearing V_{Rd}								
Metric			M8	M10	M12	M16	M20	M24
V_{Rd}	Zinc-plated stud	[kN]	<u>7.2</u>	<u>12.0</u>	<u>16.8</u>	<u>31.2</u>	<u>48.8</u>	<u>70.4</u>
	Stainless steel stud (A2/A4)	[kN]	<u>8.3</u>	<u>12.8</u>	<u>19.2</u>	<u>35.3</u>	<u>55.1</u>	<u>79.5</u>
Maximum recommended load to shear stress V_{rec}								
Metric			M8	M10	M12	M16	M20	M24
V_{rec}	Zinc-plated stud	[kN]	<u>5.1</u>	<u>8.6</u>	<u>12.0</u>	<u>22.3</u>	<u>34.9</u>	<u>50.3</u>
	Stainless steel stud (A2/A4)	[kN]	<u>6.0</u>	<u>9.2</u>	<u>13.7</u>	<u>25.2</u>	<u>39.4</u>	<u>56.8</u>
Effective depth of studs EQ-AC / EQ-A2 / EQ-A4								
Metric			M8	M10	M12	M16	M20	M24
Effective depth		[mm]	80	90	110	128	170	210

The values underlined and in italics indicate steel failure

Simplified calculation method. European Technical Assessment ETA 13/0751

Simplified version of the calculation method according to ETAG 001, technical report TR029. The resistance is calculated according to the data reflected in the assessment ETA 13/0751.

The calculation method is based on the following simplification:
No different loads act on individual anchors, without eccentricity.

- Influence of concrete resistance.
- Influence of the distance from the edge of the concrete.
- Influence of the spacing between anchors.
- Influence of rebars.
- Influence of the base material thickness.
- Influence of the load application angle.
- Influence of the effective depth.
- Valid for a group of two anchors.
- Valid for dry or wet drill holes.



INDEXcal

For a more precise calculation and taking into account more constructive arrangements we recommend the use of our INDEXcal calculation program. It can be downloaded free from our website www.indexfix.com




TENSILE LOADS

- Calculated steel resistance: $N_{Rd,s}$
- Calculated extraction resistance: $N_{Rd,p} = N^o_{Rd,p} \cdot \Psi_c \cdot \Psi_{hef,p}$
- Calculated concrete cone resistance: $N_{Rd,c} = N^o_{Rd,c} \cdot \Psi_b \cdot \Psi_{s,N} \cdot \Psi_{c,N} \cdot \Psi_{re,N} \cdot \Psi_{hef,N}$
- Calculated concrete cracking resistance: $N_{Rd,sp} = N^o_{Rd,c} \cdot \Psi_b \cdot \Psi_{s,sp} \cdot \Psi_{c,sp} \cdot \Psi_{re,N} \cdot \Psi_{h,sp} \cdot \Psi_{hef,N}$

MO-PS


Calculated steel resistance

		$N_{Rd,s}$						
Metric		M8	M10	M12	M16	M20	M24	
$N^o_{Rd,s}$	Steel class 5.8	[kN]	12.0	19.3	28.0	52.7	82.0	118.0
	Steel class 8.8	[kN]	19.3	30.7	44.7	84.0	130.7	188.0
	Steel class 10.9	[kN]	27.8	43.6	63.2	118.0	184.2	265.4
	Stainless steel Class A2-70, A4-70	[kN]	13.9	21.9	31.6	58.8	92.0	132.1




Calculated extraction resistance

		$N_{Rd,p} = N^o_{Rd,p} \cdot \Psi_c \cdot \Psi_{hef,p}$						
Metric		M8	M10	M12	M16	M20	M24	
$N^o_{Rd,p}$	Non-cracked concrete	[kN]	9.5	12.6	20.7	32.2	47.5	66.0




Calculated concrete cone resistance

		$N_{Rd,c} = N^o_{Rd,c} \cdot \Psi_b \cdot \Psi_{s,N} \cdot \Psi_{c,N} \cdot \Psi_{re,N} \cdot \Psi_{hef,N}$						
Metric		M8	M10	M12	M16	M20	M24	
$N^o_{Rd,c}$	Non-cracked concrete	[kN]	20.1	24.0	32.4	40.6	62.2	85.4



Calculated concrete cracking resistance


		$N_{Rd,sp} = N^o_{Rd,c} \cdot \Psi_b \cdot \Psi_{s,sp} \cdot \Psi_{c,sp} \cdot \Psi_{re,N} \cdot \Psi_{h,sp} \cdot \Psi_{hef,N}$						
Metric		M8	M10	M12	M16	M20	M24	
$N^o_{Rd,sp}$	Non-cracked concrete	[kN]	20.1	24.0	32.4	40.6	62.2	85.4






MO-PS

Influence coefficients




$$\Psi_b = \sqrt{\frac{f_{ck,cube}}{25}} \geq 1$$




Influence of concrete resistance for extraction Ψ_c				
Concrete type		C20/25	C30/37	C40/50
Ψ_c	Non-cracked concrete	1.00	1.12	1.19
				1.30

Influence of concrete resistance for concrete cone and concrete cracking Ψ_b				
Concrete type		C20/25	C30/37	C40/50
Ψ_b		1.00	1.22	1.41
				1.55




Influence of spacing between anchors (concrete cone) $\Psi_{s,N}$										
$s/s_{cr,N}$	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0
$\Psi_{s,N}$	0.55	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00

$$\Psi_{s,N} = 0.5 \left(1 + \frac{s}{s_{cr,N}} \right) \leq 1$$




Influence of spacing between anchors (cracking) $\Psi_{s,sp}$										
$s/s_{cr,sp}$	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0
$\Psi_{s,sp}$	0.55	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00

$$\Psi_{s,sp} = 0.5 \left(1 + \frac{s}{s_{cr,sp}} \right) \leq 1$$




Influence of the distance from the edge of the concrete (concrete cone) $\Psi_{c,N}$												
$c/C_{cr,N}$	0.1	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	1.5	1.6
$\Psi_{c,N}$	0.40	0.46	0.51	0.45	0.49	0.55	0.61	0.67	0.75	0.83	0.91	1.00

$$\Psi_{c,N} = 0.35 + \frac{0.5 \cdot c}{C_{cr,N}} + \frac{0.15 \cdot c^2}{C_{cr,N}^2} \leq 1$$




Influence of the distance from the edge of the concrete (cracking) $\Psi_{c,sp}$												
$c/C_{cr,sp}$	0.1	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	1.5	1.6
$\Psi_{c,sp}$	0.40	0.46	0.51	0.45	0.49	0.55	0.61	0.67	0.75	0.83	0.91	1.00

$$\Psi_{c,sp} = 0.35 + \frac{0.5 \cdot c}{C_{cr,sp}} + \frac{0.15 \cdot c^2}{C_{cr,sp}^2} \leq 1$$



Influence of the rebars $\Psi_{re,N}$						
h_{ef} (mm)	64	70	80	90	100	
$\Psi_{re,N}$	0.82	0.85	0.90	0.95	1.00	

$$\Psi_{re,N} = 0.5 + \frac{h_{ef}}{200} \leq 1$$



• Influence of the base material thickness $\Psi_{h,sp}$											
$\Psi_{h,sp}$	h/h_{ef}	2.00	2.20	2.40	2.60	2.80	3.00	3.20	3.40	3.60	3.68
	fh	1.00	1.07	1.13	1.19	1.25	1.31	1.37	1.42	1.48	1.50

$$\Psi_{h,sp} = \left(\frac{h}{2 \cdot h_{ef}} \right)^{2/3} \leq 1.5$$




MO-PS

• Influence of the effective depth for the extraction combination $\Psi_{\text{hef,p}}$

Metric h_{ef}	M8	M10	M12	M16	M20	M24
64	0.80					
80	1.00	0.89				
90	1.13	1.00	0.82			
96	1.20	1.07	0.87			
110		1.22	1.00			
120		1.33	1.09			
128			1.16	1.00		
144			1.31	1.13		
160				1.25	0.94	
170				1.33	1.00	
192				1.50	1.13	0.91
210					1.24	1.00
240					1.41	1.14
288						1.37

Value not permitted




$$\Psi_{\text{hef,p}} = \frac{h_{\text{ef}}}{h_{\text{stand}}}$$

• Influence of the effective depth for the concrete cone $\Psi_{\text{hef,N}}$

Metric h_{ef}	M8	M10	M12	M16	M20	M24
64	0.72					
80	1.00	0.84				
90	1.19	1.00				
96	1.31	1.10	0.82			
110	1.61	1.35	1.00			
120	1.84	1.54	1.14	0.91		
128	2.02	1.70	1.26	1.00	0.65	
144		2.02	1.50	1.19	0.78	
160		2.37	1.75	1.40	0.91	0.67
170		2.60	1.92	1.53	1.00	0.73
192			2.31	1.84	1.20	0.87
210			2.64	2.10	1.37	1.00
240			3.22	2.57	1.68	1.22
288				3.38	2.21	1.61

Value not permitted






$$\Psi_{\text{hef,N}} = \left(\frac{h_{\text{ef}}}{h_{\text{stand}}} \right)^{1.5}$$



MO-PS

SHEARING LOADS

- Calculated steel resistance without lever arm: $V_{Rd,s}$
- Calculated spalling resistance: $V_{Rd,cp} = k \cdot N^o_{Rd,c}$
- Calculated concrete edge resistance: $V_{Rd,c} = V^o_{Rd,c} \cdot \Psi_b \cdot \Psi_{se,V} \cdot \Psi_{c,V} \cdot \Psi_{re,V} \cdot \Psi_{a,V} \cdot \Psi_{h,V}$




Calculated steel resistance to shearing									
$V^o_{Rd,s}$	$V_{Rd,s}$								
	Metric		M8	M10	M12	M16	M20	M24	
	Steel class 5.8		[kN]	7.2	12	16.8	31.2	48.8	70.4
	Steel class 8.8		[kN]	12	18.4	27.2	50.4	78.4	112.8
	Steel class 10.9		[kN]	12	19.3	28	52.7	82	118
Stainless steel Class A2-70, A4-70		[kN]	8.3	12.8	19.2	35.3	55.1	79.5	

Calculated spalling resistance							
$V_{Rd,cp} = k \cdot N^o_{Rd,c}$							
Metric		M8	M10	M12	M16	M20	M24
k					2		

Calculated concrete edge resistance							
$V_{Rd,c} = V^o_{Rd,c} \cdot \Psi_b \cdot \Psi_{se,V} \cdot \Psi_{c,V} \cdot \Psi_{re,V} \cdot \Psi_{a,V} \cdot \Psi_{h,V}$							
Metric	M8	M10	M12	M16	M20	M24	
$V^o_{Rd,c}$ Non-cracked concrete	[kN]	5.7	8.6	11.8	19.0	28.3	36.4



Influence coefficients



$$\Psi_b = \sqrt{\frac{f_{ck,cube}}{25}} \geq 1$$

Influence of concrete resistance for concrete cone and concrete cracking Ψ_b					
Concrete type		C20/25	C30/37	C40/50	
Ψ_b		1.00	1.22	1.41	1.55

Influence of the distance from the edge and spacing between anchors $\Psi_{se,V}$																	
For one anchor																	
c/h_{ef}	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.50	5.00
Insulated	0.35	0.65	1.00	1.40	1.84	2.32	2.83	3.38	3.95	4.56	5.20	5.86	6.55	7.26	8.00	9.55	11.18
For two anchors																	
c/h_{ef}	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.50	5.00
1.0	0.24	0.43	0.67	0.93	1.22	1.54	1.89	2.25	2.64	3.04	3.46	3.91	4.37	4.84	5.33	6.36	7.45
1.5	0.27	0.49	0.75	1.05	1.38	1.74	2.12	2.53	2.96	3.42	3.90	4.39	4.91	5.45	6.00	7.16	8.39
2.0	0.29	0.54	0.83	1.16	1.53	1.93	2.36	2.81	3.29	3.80	4.33	4.88	5.46	6.05	6.67	7.95	9.32
2.5	0.32	0.60	0.92	1.28	1.68	2.12	2.59	3.09	3.62	4.18	4.76	5.37	6.00	6.66	7.33	8.75	10.25
≥ 3.0	0.35	0.65	1.00	1.40	1.84	2.32	2.83	3.38	3.95	4.56	5.20	5.86	6.55	7.26	8.00	9.55	11.18




$$\Psi_{se,V} = \left(\frac{c}{h_{ef}} \right)^{1.5}$$

$$\Psi_{se,V} = \left(\frac{c}{h_{ef}} \right)^{1.5} \cdot \left(1 + \frac{s}{3 \cdot c} \right) \cdot 0.5 \leq \left(\frac{c}{h_{ef}} \right)^{1.5}$$

**MO-PS**


Influence of the distance from the edge of the concrete $\Psi_{c,v}$								
c/d	4	5	7	10	15	20	25	30
$\Psi_{c,v}$	0.76	0.72	0.68	0.63	0.58	0.55	0.53	0.51

$$\Psi_{c,v} = \left(\frac{d}{c} \right)^{0.20}$$




Influence of the effective depth $\Psi_{hef,v}$					
h _{ef} /d	8	9	10	11	12
$\Psi_{hef,v}$	1.65	2.04	2.47	2.93	3.42

$$\Psi_{hef,v} = 0.04 \cdot \left(\frac{h_{ef}}{d} \right)^{1.79}$$




Influence of the rebars $\Psi_{re,v}$				
	Without perimeter rebar	Perimeter rebar $\geq \varnothing 12\text{mm}$	Perimeter rebar with abutments at $\leq 100\text{mm}$	
$\Psi_{re,v}$	Non-cracked concrete	1	1	1




Influence of the load application angle $\Psi_{\alpha,v}$										
Angle, $\alpha(^{\circ})$	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°
$\Psi_{\alpha,v}$	1.00	1.01	1.05	1.13	1.24	1.40	1.64	1.97	2.32	2.50

$$\Psi_{\alpha,v} = \sqrt{\frac{1}{(\cos \alpha_v)^2 + \left(\frac{\sin \alpha_v}{2.5}\right)^2}} \geq 1$$



Influence of the base material thickness $\Psi_{h,v}$										
h/c	0.15	0.30	0.45	0.60	0.75	0.90	1.05	1.20	1.35	≥ 1.5
$\Psi_{h,v}$	0.32	0.45	0.55	0.63	0.71	0.77	0.84	0.89	0.95	1.00

$$\Psi_{h,v} = \left(\frac{h}{1.5 \cdot c} \right)^{0.5} \geq 1.0$$





MO-PS


FIXING IN BRICKS

INSTALLATION PARAMETERS IN BRICKS. PLASTIC SLEEVE													
DIMENSION			M8		M10			M12					
Plastic sleeve	ls		85			20							
	d _o		15		15		27						
Mortar volume per sleeve	[ml]		15		15		90						
h_1	drill hole depth ≥		90		85		85						
h_{nom}	sleeve installation depth		85		80		80						
h_{ef}	stud depth ≥		80		80		80						
t_{fix}	thickness material to be fixed ≤		22		25		18						
h_{min}	base material thickness ≥		110		110		110						
d_f	diameter in metal sheet ≤		9		12		14						
T_{ins}	tightening torque ≤		2		2		2						
Circular brush	ø20												
Stud code			MOES08110			MOES10115		MOES12110					
Sleeve code			MOTN15085			MOTN15085		MOTN20085					
BASE MATERIAL			PLASTIC SLEEVE										
			M8			M10			M12				
Minimum distances and from the edge			$c_{\text{cr}} = c_{\text{min}}$	$s_{\text{cr II}} = s_{\text{min II}}$	$s_{\text{min } \perp} = c_{\text{min } \perp}$	$c_{\text{cr}} = c_{\text{min}}$	$s_{\text{cr II}} = s_{\text{min II}}$	$s_{\text{min } \perp} = c_{\text{min } \perp}$	$c_{\text{cr}} = c_{\text{min}}$				
Brick number 1			100	235	115	100	235	115	120	235	115		
Brick number 2			100	240	113	100	240	113	120	240	113		
Brick number 3			100	237	237	100	237	237	120	250	237		
Brick number 4			128	255	255	128	255	255	128	255	255		
Brick number 5			128	255	255	128	255	255	128	255	255		
Brick number 6			100	250	240	100	250	240	120	250	240		
Brick number 7			100	250	248	100	250	248	-	-	-		
Brick number 8			100	250	248	100	250	248	120	250	248		
Brick number 9			100	370	238	100	370	238	120	370	238		



MO-PS


INSTALLATION PARAMETERS IN BRICKS. METAL SLEEVE											
DIMENSION			M8			M10			M12		
Plastic sleeve	ls		85			20			20		
	d_o		15			90			90		
Mortar volume per sleeve	[ml]		15			15			20		
h_1 drill hole depth \geq	[mm]		90			85			85		
h_{nom} inst. depth plastic sleeve	[mm]		85			80			80		
h_{ef} stud depth \geq	[mm]		80			80			80		
t_{fix} thickness material to be fixed \leq	[mm]		22			25			18		
h_{min} base material thickness \geq	[mm]		110			110			110		
d_f diameter in metal sheet \leq	[mm]		9			12			14		
T_{ins} tightening torque \leq	[Nm]		2			2			2		
Circular brush	ø20										
Stud code			MOES08110			MOES10115			MOES12110		
Sleeve code			MOTN15085			MOTN15085			MOTN20085		
Threaded sleeve code			MOTRO08			MOTRO10			MOTRO12		
BASE MATERIAL			PLASTIC SLEEVE								
			M8			M10			M12		
Minimum distances and from the edge			$C_{cr} = C_{min}$	$S_{cr\ II} = S_{min\ II}$	$S_{min\ \perp} = C_{min\ \perp}$	$C_{cr} = C_{min}$	$S_{cr\ II} = S_{min\ II}$	$S_{min\ \perp} = C_{min\ \perp}$	$C_{cr} = C_{min}$		
Brick number 1	[mm]		100	235	115	120	235	115	120		
Brick number 2	[mm]		100	240	113	120	240	113	120		
Brick number 3	[mm]		-	-	-	120	250	237	120		
Brick number 4	[mm]		128	255	255	128	255	255	128		
Brick number 5	[mm]		128	255	255	128	255	255	128		
Brick number 6	[mm]		100	250	240	120	250	240	120		
Brick number 7	[mm]		100	250	248	120	250	248	120		
Brick number 8	[mm]		-	-	-	120	250	248	120		
Brick number 9	[mm]		100	370	238	120	370	238	120		





MO-PS

INSTALLATION ACCESSORIES			INSTALLATION PROCEDURE
CODE	PRODUCT	MATERIAL	BRICK
MOPISSI		Gun for 300 ml cartridges	
MOPISTO	APPLICATION GUNS	Guns for 410 ml cartridges, professional use	
MOPISNEU		Pneumatic gun for 410 ml coaxial cartridges, professional use	
MO-ES	STUD	Threaded stud	
MORCEPKIT	CLEANING BRUSHES	Kit with 3 cleaning brushes measuring ø14, ø20 and ø29 mm	
MOBOMBA	CLEANING PUMP	Pump for cleaning leftover dust and fragments in the drill hole	
MORCANU	MIXING TUBE	Plastic. Static labyrinth mixture	
MO-TN	NYLON SLEEVE	Plastic white or grey	
MO-TR	THREADED METAL SLEEVE	Threaded metal sleeve M8, M10, M12, zinc-plated	
MO-TM	METAL SLEEVE	Metal sleeve ø12, ø16 and ø22 mm	



MINIMUM CURING TIME			
TYPE	BASE MATERIAL TEMPERATURE [°C]	HANDLING TIME [min]	CURING TIME [min]
MO-PS / MO-PSP	min +5	18	145
	+5 to +10	10	145
	+10 to +20	6	85
	+20 to +25	5	50
	+25 to +30	4	40
	+30	4	35

**MO-PS**

Characteristic resistances (F_{Rk})						
Base material	Threaded studs Tensile and shear force [kN]			Threaded metal sleeve Tensile and shear force [kN]		
	M8	M10	M12	M8	M10	M12
Brick number 1	2.50	2.0	2.0	1.5	2.50	2.50
Brick number 2	0.75	1.2	0.5	0.6	0.75	0.90
Brick number 3	0.75	1.2	0.5	-	0.75	0.40
Brick number 4	1.50	1.5	3.0	2.0	3.00	4.00
Brick number 5	0.75	0.9	1.5	2.0	1.50	0.90
Brick number 6	1.20	1.2	0.9	0.9	1.50	0.60
Brick number 7	0.60	0.2	-	0.5	0.30	0.75
Brick number 8	0.60	1.5	1.2	-	0.40	0.60
Brick number 9	2.50	1.5	2.5	0.6	1.20	0.90

Calculated resistances (F_{Rd})						
Base material	Threaded studs Tensile and shear force [kN]			Threaded metal sleeve Tensile and shear force [kN]		
	M8	M10	M12	M8	M10	M12
Brick number 1	1.00	0.80	0.80	0.60	1.00	1.00
Brick number 2	0.30	0.48	0.20	0.24	0.30	0.36
Brick number 3	0.30	0.48	0.20	-	0.30	0.16
Brick number 4	0.60	0.60	1.20	0.80	1.20	1.60
Brick number 5	0.30	0.36	0.60	0.80	0.60	0.36
Brick number 6	0.48	0.48	0.36	0.36	0.60	0.24
Brick number 7	0.24	0.08	-	0.20	0.12	0.30
Brick number 8	0.24	0.60	0.48	-	0.16	0.24
Brick number 9	1.00	0.60	1.00	0.24	0.48	0.36

Recommended maximum loads (F_{recom}) (with α and $F=1.4$)						
Base material	Threaded studs Tensile and shear force [kN]			Threaded metal sleeve Tensile and shear force [kN]		
	M8	M10	M12	M8	M10	M12
Brick number 1	0.71	0.57	0.57	0.43	0.71	0.71
Brick number 2	0.21	0.34	0.14	0.17	0.21	0.26
Brick number 3	0.21	0.34	0.14	-	0.21	0.11
Brick number 4	0.43	0.43	0.86	0.57	0.86	1.14
Brick number 5	0.21	0.26	0.43	0.57	0.43	0.26
Brick number 6	0.34	0.34	0.26	0.26	0.43	0.17
Brick number 7	0.17	0.06	-	0.14	0.09	0.21
Brick number 8	0.17	0.43	0.34	-	0.11	0.17
Brick number 9	0.71	0.43	0.71	0.17	0.34	0.26



MO-PS

BRICK TYPES

<p>Brick no. 1 Hollow clay brick HLz 12-1,0-2DF according to EN 771-1 Length / width / height: 235 mm / 112 mm / 115 mm $fb \geq 12 \text{ N/mm}^2$ / $\rho \geq 1.0 \text{ kg/dm}^3$</p>		<p>Brick no. 6 Fired clay hollow brick HLzW 6-0,7-8DF according to EN 771-1 Length / width / height: 250 mm / 240 mm / 240 mm $fb \geq 6 \text{ N/mm}^2$ / $\rho \geq 0.8 \text{ kg/dm}^3$</p>	
<p>Brick no. 2 Silico-calcareous hollow brick KSL 12-1, 4-3DF according to EN 771-2 Length / width / height: 240 mm / 175 mm / 113 mm $fb \geq 12 \text{ N/mm}^2$ / $\rho \geq 1.4 \text{ kg/dm}^3$</p>		<p>Brick no. 7 Lightweight concrete hollow block Hbl 2-0,45-10DF according to EN 771-3 Length / width / height: 250 mm / 300 mm / 248 mm $fb \geq 2.0 \text{ N/mm}^2$ / $\rho \geq 0.45 \text{ kg/dm}^3$</p>	
<p>Brick no. 3 Silico-calcareous hollow brick KSL 12-1, 4-2DF according to EN 771-2 Length / width / height: 250 mm / 240 mm / 237 mm $fb \geq 12 \text{ N/mm}^2$ / $\rho \geq 1.4 \text{ kg/dm}^3$</p>		<p>Brick no. 8 Lightweight concrete hollow block Hbl 4-0, 7-8DF according to EN 771-3 Length / width / height: 250 mm / 240 mm / 248 mm $fb \geq 4.0 \text{ N/mm}^2$ / $\rho \geq 0.7 \text{ kg/dm}^3$</p>	
<p>Brick no. 4 Fired clay solid brick Mz 12-2, 0-NF according to EN 771-1 Length / width / height: 240 mm / 116 mm / 71 mm $fb \geq 12 \text{ N/mm}^2$ / $\rho \geq 2.0 \text{ kg/dm}^3$</p>		<p>Brick no. 9 Concrete block Hbn 4-12DF according to EN 771-3 Length / width / height: 370 mm / 240 mm / 238 mm $fb \geq 4 \text{ N/mm}^2$ / $\rho \geq 1.2 \text{ kg/dm}^3$</p>	
<p>Brick no. 5 Silico-calcareous solid brick KS 12-2, 0-NF according to EN 771-2 Length / width / height: 240 mm / 115 mm / 70 mm $fb \geq 12 \text{ N/mm}^2$ / $\rho \geq 2.0 \text{ kg/dm}^3$</p>			



RANGE 300 ml



300 ml



STYRENE-FREE POLYESTER



OPTION 7




CODE DIMENSION

NORMAL

MO-PS300	300 ml	12
MO-PS410	410 ml	12

LOW TEMPERATURES

MO-PSP300	300 ml	12
MO-PSP410	410 ml	12



Concrete, Hollow brick, Solid brick, Thermal clay

MO-PS

Accessories for chemical anchor cartridges

MO-PIS Application guns



CODE	MODEL
MOPISTO	Manual
MOPISPR	Professional 410 ml
MOPISSI	Silicone 300 ml
MOPISNEU	Pneumatic

MO-TN Plastic sleeve



CODE	DIMENSION
MOTN12050	12 x 50
MOTN15085	15 x 85
MOTN15130	15 x 130
MOTN20085	20 x 85

MO-AC Mixing tubes and miscellaneous



CODE	MODEL
MOBOMBA	Blower pump
MORCANU	Tube 170 - 300 - 410 ml
MORCEPKIT	Kit 3 brushes

MO-ES Threaded stud



CODE	DIMENSION
MOES06070	M6 x 70
MOES08110	M8 x 110
MOES10115	M10 x 115
MOES12110	M12 x 110

MO-TM Metal sleeve



CODE	DIMENSION
MOTM12100	12 x 1000
MOTM16100	16 x 1000
MOTM22100	22 x 1000

MO-TR Threaded sleeve



CODE	DIMENSION
MOTR008	M8/12 x 80
MOTR010	M10/14 x 80
MOTR012	M12/16 x 80



MO-PS

Accessories for chemical anchor cartridges

Stud for chemical anchor with nut and washer



EQ-AC Zinc-plated



CODE	DIMENSION
EQAC08110	M8 x 110
EQAC10130	M10 x 130
EQAC12160	M12 x 160
EQAC16190	M16 x 190
EQAC20260	M20 x 260
EQAC24300	M24 x 300
EQAC30330	M30 x 330

EQ-A2 Stainless steel A2



CODE	DIMENSION
EQA208110	M8 x 110
EQA210130	M10 x 130
EQA212160	M12 x 160
EQA216190	M16 x 190
EQA220260	M20 x 260
EQA224300	M24 x 300
EQA230330	M30 x 330

EQ-A4 Stainless steel A4



CODE	DIMENSION
EQA408110	M8 x 110
EQA410130	M10 x 130
EQA412160	M12 x 160
EQA416190	M16 x 190
EQA420260	M20 x 260
EQA424300	M24 x 300
EQA430330	M30 x 330